



Help Point Intercom

- Stainless Steel Enclosure
- Protection level IP65
- HD calls with advanced noise cancellation
- Corrosion-resistant coating
- CE, FCC, RoHS, IK10, IP65, ISO9001 standards



MAIN FEATURES

Constructed from stainless steel with a brushed surface finish, the emergency telephones are engineered to meet stringent quality standards, providing strong protection against vandalism and guaranteeing stable communication at all times.

The series has undergone salt spray testing, ensuring outstanding resistance to moisture and corrosion, making it highly reliable in harsh environments.

Designed for quick installation, the wiring access is positioned at the back of the unit to minimize the risk of tampering.

Suitable for use in locations such as parking areas, elevators, hotels, entrances, railway and metro platforms, hospitals, police stations, ATMs, and various outdoor facilities.

- Hands-free full-duplex intercom with one speed dial button
- The handset supports hearing aid compatibility (HAC)
- High Anti-noise Performance
- The panel design features two sets of communication devices at different heights to meet the needs of users of normal height or those with lower limb disabilities.
- Built-in speaker and microphone pole for hands-free calling and receiving announcements

TECHNICAL SPECIFICATIONS


Basic Features	
Waterproof Rate	IP65
Noise cancellation	Optional
Full-duplex communication	Support
Enclosure Material	Stainless Steel
Power supply	DC 12 V/2A or Switch output: 33-60V
Frequency Response	20 Hz to 16 kHz
Power consumption	Standby:1.5W, Working power: 1.8W (without amplification)
Operating Temperature & Humidity	-10℃ to 65℃, 10% to 90%
Mean Time Between Failures	More than 50,000 hours
VoIP Features	
Protocol	SIP 2.0(RFC3261)
Registration line	2 lines at same time
Audio Sampling	8 kHz to 22.050 kHz, 16-bit
SNR	≥ 90 dB
Echo cancellation	Supports G.168, Handsfree up to 96ms
Audio Encoding	MP2, MP3, PCM, ADPCM
Network	10/100 Mbps WAN/LAN: Support bridge mode Support virtual LAN Support stun NAT penetration

DIMENSIONS

Package	
Unit size	260*650*50(mm)
Packaging materials	corrugated box, pearl cotton lining
Weight	Net weight : about 7KG / Gross Weight :8 KG

APPLICATION

IP telephony system is an efficient and convenient communication solution that utilizes an Internet connection to enable voice calls and other communication services. Compared to traditional telephone systems, IP telephony offers greater efficiency and flexibility.



APPLICATION SCENARIOS



Maritime



Highway / Tunnel



Railway



Power - Station



Mining industry



Industrial park